

# INDEX MAPS.

## T. 10 N. R. 10 E. 2<sup>nd</sup> Mer.

	135		135		136		136		136		137	
140	6	161	5	155	4	151	3	147	2	143	1	135
	160		160		155		151		147		143	
139	7	160	8	154	9	150	10	147	11	143	12	134
	159		159		154		150		146		142	
139	18	159	17	154	16	150	15	146	14	142	13	134
	158		158		153		149		146		142	
138	19	158	20	153	21	149	22	145	23	141	24	134
	157		157		153		149		145		141	
138	30	156	29	152	28	148	27	144	26	141	25	133
	156		156		152		148		144		140	
137	31	155	32	151	33	148	34	144	35	140	36	133
	131		131		131		131		131		131	
	133		133		132		132		132		132	

## T. 11 N. R. 10 E. 2<sup>nd</sup> Mer.

	169		169		168		168		167		167	
171	6	193	5	187	4	183	3	179	2	175	1	167
	192		192		186		182		178		175	
171	7	192	8	186	9	182	10	178	11	174	12	166
	191		191		186		182		178		174	
170	18	191	17	185	16	181	15	177	14	174	13	166
	190		190		185		181		177		173	
170	19	190	20	185	21	181	22	177	23	173	24	165
	189		189		184		180		176		173	
170	30	188	29	184	28	180	27	176	26	172	25	165
	188		188		184		180		176		172	
169	31	187	32	183	33	179	34	175	35	171	36	165
	163		163		163		164		164		164	

The figures on the lines refer to the page.

Township N. 11 North, Range N. 10 East T. 1 Mer. Ind. 163  
ch. 1/2

### South Boundary.

East On S. boundary of Sec. 31, T. 11 N. R. 10 E.  
24.55 a Beech 24 in. dia.

38.50 Set of Sec. post, from which  
a Hickory 20 in. dia. bran N 15 W. 32 lks. dist. of  
a Beech 20 " " " N 15 E 30 " "

54.50 a Branch 6 lks. wide Course S. E.

70.00 a do. 15 " " " S. E.

71.00 a Creek 60 lks. " " South

78.50 Set post Cor. to Sec. 31 & 32, from which

a do. 5 in. dia. bran N 25 E 7 lks. dist. of

a do. 6 " " " N 40 E 18 " "

Level rich land, Beech, Sugar, Ash, &c.  
undergrowth. Spruce & Sparrow

---

East On S. boundary of Sec. 32

2.11 a Beech 24 in. dia.

35.30 an Elm 36 " "

37.00 a Branch 20 lks. wide Course —

40.00 Set of Sec. post, from which

a Beech 14 in. dia. bran N 47 E 17 lks. dist. of

a Sugar 8 " " " N 84 W 20 " "

59.00 a Branch 8 lks. wide Course S. W.

64.00 a do. 5 " " " S. W.

80.00 Set post Cor. to Sec. 32 & 33, from which

a Sugar 8 in. dia. bran N 34 W 22 lks. dist. of

a Beech 15 " " " N 84 E 25 " "

Sand timber &c. same as on last mile

---

East On S. boundary of Sec. 33

23.70 an Ash 18 in. dia.

27.00 a Branch 6 lks. wide Course N. W.

40.00 Set of Sec. post, from which

a Sugar — in. dia. bran N 54 W 34 lks. dist. of

an Ash 18 " " " N 26 E 30 " "

53.00 a Branch 6 lks. wide Course N. W.



16th

T.M.N. R10 E. 2<sup>nd</sup> Mer. Indiana

ch. l. l. l.

56.33 at Beech 40 mi. dist.

70.00 a Branch 5 l. m. wide E. S. M.

80.00 At post Cor. to Sec. 33 & 34 from which  
a Beech 12 mi. dist. bray N 74 E 23 l. m. dist. of  
a do. 10 " " " N 25 W 18 " "  
Sand timber &c. same as on last mile

East On S. boundary of Sec. 34.

29.05 at Beech 18 mi. dist.

40.00 At gr. Sec. post, from which  
a Sugar 5 mi. dist. bray N 59 W 3 l. m. dist. of  
a Beech 9 " " " N 59 E 26 " "

57.00 a Branch 5 l. m. wide Course S. W.

70.00 a do. 5 " " " S. W.

80.00 At post Cor. to Sec. 34 & 35, from which  
a Beech 12 mi. dist. bray N 83 E 18 l. m. dist. of  
a do. 8 " " " N 42 W 25 " "  
Sand timber &c. same as on last mile

East On S. boundary of Sec. 35

22.50 a Branch 8 l. m. wide Course S. W.

32.00 a do. 12 " " " S. W.

40.00 At gr. Sec. post, from which  
a Cherry 10 mi. dist. bray N 81 E 15 l. m. dist. of  
a Beech 6 " " " N 89 W 19 " "

54.61 an Ash 24 " "

80.00 At post Cor. to Sec. 35 & 36, from which  
a Beech 15 mi. dist. bray N 81 W 13 l. m. dist. of  
a do. 6 " " " N 43 E 12 " "  
Sand level 2<sup>nd</sup> rate, timber Beech, Poplar  
Ash, Oak &c. underg<sup>g</sup> Spruce

East On S. boundary of Sec. 36

12.00 a Beech 18 mi. dist.

21.50 a Branch 4 l. m. wide E. S. N. E.

34.00 a do. 3 " " " N.

165

T.M. N. 10 E. 2. Mer. Indiana

ch. 2. 1/2

- 40.00 Set of Sec. post, from which  
a Beech 8 in. dia. bray N 20 W 21 lks. dist. of  
a do. 18 " " " N 20 E 17 " "
- 57.50 a Creek 40 lks. wide Course S. E.
- 75.00 a Branch " " " S. W.
- 80.00 Intersected the Town Corner.  
Broken land, timber Beech, Oak, Gum  
Poplar &c.

East Boundary var. 7.00. E.

- North On E. boundary of Sec. 36
- 4.00 a Branch 5 lks. wide C. S. N. W.
- 40.00 Set of Sec. post, from which  
a Beech 15 in. dia. bray N 67 W 24 lks. dist. of  
a do. 10 " " " N 37 E 29 " "
- 41.88 a Beech 15 " "
- 58.00 a Branch 4 lks. wide Course N.
- 62.20 a Poplar 36 in. dia.
- 71.00 a Branch 12 lks. wide Course S. W.
- 80.00 Set post Cor. to Sec. 25 of 36, from which  
a Beech 15 in. dia. bray N 61 W 4 lks. dist. of  
any Ash 20 " " " N 77 E 19 " "
- Land Broken, timber Beech, Poplar, Ash &c.  
underg. Spruce &c.

North On E. boundary of Sec. 25

- 4.50 a Creek 20 lks. wide C. S. E.
- 9.14 a Beech 24 in. dia.
- 15.50 a Branch 4 lks. wide Course S. W.
- 22.00 a do. 4 " " " S. E.
- 27.72 a W. Oak 48 in. dia.
- 40.00 Set of Sec. post, from which  
a Beech 30 in. dia. bray S 65 E 20 lks. dist. of  
a do. 10 " " " N 38 E 10 " "
- 53.00 a Branch 4 lks. wide C. S. W.
- 62.57 a Poplar 40 in. dia.

166

T.M. St. R10 E. 2<sup>d</sup> Mer. Indiana

ch. l. l. l.

64.50 a Branch 6 lks. wide Cr. S. E.

68.00 a do. 6 " " " S. E.

80.00 At post Cor. to Sect. 24 & 25, from which  
a Poplar 30 mi. diam. bran West 30 lks. dist. of  
a Beech 18 " " " S 78 E 12 " "  
Land timber &c. same as on the last mile

North On E. boundary of Sec. 24

20.66 a Beech 18 mi. diam.

28.00 a Branch 4 lks. wide Course N. E.

32.00 a do. 6 " " " N. E.

40.00 a Sugar 18 mi. diam. of Cor. from which  
a Beech 6 mi. diam. bran S 21 W 13 lks. dist. of  
a do 16 " " " N 61 E 19 " "

41.00 a Branch 10 lks. wide Course E.

80.00 At post Cor. to Sect. 13 & 24, from which  
a do 6 mi. diam. bran S 65 W 14 lks. dist. of  
a do 8 " " " S 87 E 11 " "  
First 1/2 mile broken - last 1/2 level, timber  
Beech, Oak &c. underg<sup>d</sup> Spruce &c.

North On E. boundary of Sec 13

5.00 a Branch 4 lks. wide Cr. S. E.

11.11 a Sugar 36 mi. diam.

30.00 a Creek 20 lks. wide Course

40.00 At gr. Sec. post, from which  
a Walnut 6 mi. diam. bran East 1 lks. dist. of  
a Sugar 12 " " " N 67 W 32 " "

46.00 a Branch 6 lks. wide Cr. S. E.

80.00 At post Cor. to Sect. 12 & 13, from which  
a Sugar 15 mi. diam. bran N 70 W 24 lks. dist. of  
a do 12 " " " S 40 W 33 " "  
Over rich land, timber Walnut, B. Ash,  
Sugar &c. underg<sup>d</sup> Spruce & sparrow

North On E. boundary of Sec. 12

167

T.M. N. P. 10 E. 2<sup>nd</sup> Mer. Indiana

ch. 2<sup>nd</sup> l<sup>th</sup>

10.50 at Branch 4 l<sup>th</sup>, wide Cor. S. E.

24.00 a Do. 15 " " " S. E.

31.61 a Beech 24 in. dia.

40.00 Set up, Sec. <sup>post</sup> from which

a Cherry 6 in. dia. bray S 76 E 22 l<sup>th</sup>, dist. of

a Beech 8 " " " S 71 W 26 " "

80.00 Set post Cor. to Sec. 1 of 12, from which

a Beech 8 in. dia. bray N 60 E 26 l<sup>th</sup>, dist. of

a Hickory 8 " " " S 17 W 21 " "

First 1/2 rich - last 1/2 flat marshy land, timber

accordingly Beech, Hickory &c.

North On E. boundary of Sec. 1

34.00 at Branch 5 l<sup>th</sup>, wide Corner S. E.

40.00 Set up, Sec. post, from which

an Oak 10 in. dia. bray S 5 W 7 l<sup>th</sup>, dist. of

an E - 12 " " " N 74 E 8 " "

65.50 Intersected Cor. to Town 11 of 12 N. Range 10

N. E. as established on the E. & W. S. line

June 17<sup>th</sup> 1819

North Boundary var. 6<sup>th</sup> 30' E.

West On S. boundary of Sec. 36, S 12 N. P. 10 E

28.00 at Bluff Ash 27 in. dia.

40.00 Set up, Sec. post, from which

an Ash 12 in. dia. bray S 64 E 25 l<sup>th</sup>, dist. of

a Beech 30 " " " N 45 W 20 " "

60.10 a W. Oak 15 " "

60.80 a Branch 5 l<sup>th</sup>, wide Corner S. E.

80.00 Set post Cor. to Sec. 35 of 36, from which

a Lycamore 15 in. dia. bray S 35 E 5 l<sup>th</sup>, dist. of

a Beech 9 " " " N 7 W 24 " "

Gently rolling 1<sup>st</sup> rate land, timber, Beech

Ash, Elm &c. underg<sup>g</sup> Spruce

West On S. boundary of Sec. 35, S 12 N. P. 10 E



168

T.M.N. R10E, 2<sup>nd</sup> Mer. Indian

ch. lth

12.20 a W. Oak 20 m. dia.

20.50 a Branch 4 lth, wide Corner S.E.

40.00 Set of Sec. post, from which  
a Sugar 18 m. dia. bray N 67 E 26 lth. dist. of  
an Ash 24 " " " " N 63 W 38 " "

52.20 an Ash 15 " " "

80.00 Set post Cor. to Sec. 34 & 35, from which  
a Sugar 8 m. dia. bray S 72 E 18 lth. dist. of  
an Ash 14 " " " " N 42 W 6 " "  
Level land timber Ash, rich soil &c.July 13<sup>th</sup>, 1819

West On S. boundary of Sec. 34, T2N. R10E.

25.70 a Hickory 18 m. dia.

40.00 Set of Sec. post, from which  
a Beech 20 m. dia. bray N 28 E 25 lth. dist. of  
an Elm 40 " " " " S 36 W 37 " "

48.60 a Creek 40 lth, wide Corner S.W.

49.20 Same 40 " " " " S.W.

53.00 Same 40 " " " " S.W.

56.65 a Sugar 18 m. dia.

80.00 Set post Cor. to Sec. 33 & 34, from which  
a Buckeye 9 m. dia. bray S 47 E 6 lth. dist. of  
a Do. 10 " " " " N 49 W " "  
Level land timber Ash, Walnut, Sugar &c.  
underg<sup>d</sup>. Spruce rich soil

West On S. boundary of Sec. 33, T2N. R10E.

32.85 a Beech 15 m. dia.

40.00 Set of Sec. post, from which  
an Ash 12 m. dia. bray S 51 E 14 lth. dist. of  
an Ironw. 6 " " " " N 62 W 13 " "

50.45 a Blue Ash 12 " "

80.00 Set post Cor. to Sec. 32 & 33, from which  
an Elm 9 m. dia. bray N 50 E 17 lth. dist. of  
a N. Beech 6 " " " " S 18 E 6 " "



169

ch. lky T.M.N. R10 E. 2<sup>d</sup>. Mer. Indiana

Level land, timber as on last mile

---

West On S. boundary of Sec. 32, T2 N. R10 E.  
 13.20 a Beech 27 m. diam.  
 25.00 a Branch 5 km. wide Course S.W.  
 40.00 Set of Sec. post, from which  
     a Beech 13 m. diam. brang N29 E 29 km. dist of  
     a Do. 9 " " " N8 E 28 " "  
 58.50 an Ash 15 " "  
 80.00 Set post Cor. to Sec. 31 of 32, from which  
     a Beech 24 m. diam. brang N3 E 15 km. dist of  
     a Sugar 7 " " " North 23 " "  
 Land timber &c. same as on the last mile

---

West On S. boundary of Sec. 31, T2 N. R10 E.  
 20.25 a Beech 18 m. diam.  
 40.00 Set of Sec. post, from which  
     a Beech 12 m. diam. brang N21 E 10 km. dist of  
     a Do. 10 " " " N22 E 13 " "  
 68.50 a Branch 5 km. wide Cr. S.W.  
 74.40 Intersected the N & S line 780 km. S. of Temp  
     post. Set post Cor. to Township N of T2 North,  
     Range 9 of 10 East, from which  
     a W. Walnut 8 m. diam. brang N46 W 26 km. dist of  
     a Native Beech 6 " " " N28 E 33 " "  
 (description of land &c. omitted)

---

West Boundary Var. 6° 30' E.

North On E. boundary of Sec. 36, T1 N. R9 E  
 14.33 a Beech 30 m. diam.  
 32.65 a Branch 8 km. wide Cr. S.W.  
 40.00 Set of Sec. post, from which  
     a Beech 10 m. diam. brang N16 W 12 km. dist. of  
     a Do. 15 " " " N15 E 25 " "  
 50.97 a Beech 18 " "  
 66.60 a Branch 10 km. wide Course S.W.

170 T.M.N. R10 E. 2<sup>d</sup> Mer. Indiana  
ch. 1<sup>st</sup> 1/2

69.10 a Branch 10<sup>th</sup>. wide Course S. E.  
70.47 Same 10 " " S. W.  
80.00 At post Cor. to Sec. 25 of 36, from which  
an Elm 8 in. dia. bay N 72 W 13<sup>th</sup> dist. of  
a Beech 27 " " " N 68 E 20 " "  
Level land, timber Beech, Poplar, Ash &c.  
underg<sup>g</sup> spic, Soil good

North On E. boundary of Sec. 25, T.M.N. R9 E.

24.45 a Span. Oak 27 in. dia.  
40.00 At gr. Sec. post, from which  
a Beech 30 in. dia. bay N 83 W 20<sup>th</sup> dist. of  
an Ash 24 " " " South 35 " "  
53.00 a Buckeye 12 " "  
55.00 a Creech 30<sup>th</sup>. wide Course S.W.  
80.00 At post Cor. to Sec. 24 of 25, from which  
a Beech 36 in. dia. bay N 73 E 13<sup>th</sup> dist. of  
a Do. 12 " " " N 85 W 14 " "  
Sand timber &c. same as on last mile

North On E. boundary of Sec. 24, T.M.N. R9 E

13.55 a Beech 27 in. dia.  
40.00 At gr. Sec. post, from which  
a Beech 9 in. dia. bay N 10 W 24<sup>th</sup> dist. of  
a C. Oak 27 " " " N 26 E 14 " "  
80.00 At post Cor. to Sec. 13 of 24, from which  
an Ironwood 6 in. dia. bay N 73 W 2<sup>th</sup> dist. of  
a Do. 6 " " " N 30 E 8 " "  
Sand timber &c. same as on last mile

North On E. boundary of Sec. 13, T.M.N. R9 E.

7.80 a Beech 10 in. dia.  
40.00 At gr. Sec. post, from which  
a Blue Ash 10 in. dia. bay N 45 W 37<sup>th</sup> dist. of  
a Do. 12 " " " N 77 E 16 " "  
65.72 a Beech 15 in. dia.

M. N. R 10 E. 2<sup>d</sup> Mer. Indiana 171

ch. 2<sup>ly</sup>  
80.00 Set post Cor. to Sec. 12 & 13, from which  
a Beech 4<sup>th</sup> in. dia. bray N 14 E 13<sup>th</sup> dist. of  
a Do. 7 " " " N 11 W 18 " "  
Sand timber &c. same as on last mile

---

North On E. boundary of Sec. 12, T 11 N. R 9 E.  
27.95 an Ash 15 in. dia.  
36.30 a Branch 25<sup>th</sup> wide Course N. W.  
40.00 Set gr. Sec. post, from which  
a Beech 10 in. dia. bray S 34 W 16<sup>th</sup> dist. of  
a Do. 12 " " " N 46 E 10 " "  
50.00 Same Creek 25<sup>th</sup> wide Course N. E.  
52.70 Same Creek 25 " " " N. W.  
80.00 Set post Cor. to Sec. 1 & 12, from which  
a Hickory 9 in. dia. bray N 45 E 10<sup>th</sup> dist. of  
a Sugar 8 " " " N 45 W 26 " "  
Sand timber &c. same as on last mile

---

North On E. boundary of Sec. 1, T 11 N. R 9 E.  
13.58 a Beech 20 in. dia.  
40.00 Set gr. Sec. post, from which  
a Beech 13 in. dia. bray N 45 E 3<sup>th</sup> dist. of  
an Ash 14 " " " N 86 W 13 " "  
60.52 a Maple 12 " " "  
72.20 Set post Cor. to Township N of 12 North,  
Range 9 & 10 East, from which  
a Walnut 8 in. dia. bray S 46 W 26<sup>th</sup> dist. of  
a Water Beech 6 " " " N 28 E 33 " "  
Sand timber &c. same as on the last mile

June 19<sup>th</sup> 1819

Surveyed By  
John M. Donald,  
Deputy Surveyor

Comp

---

Subdivision. var 6° 20' E  
North Between Sec. 35 & 36, T 11 N. R 10 E.



172

Twp. R. W. E. 2<sup>d</sup>. Mer. Indiana

ch. P. by

20.80 a Beech 12 mi. dist.

23.04 a Stream 12<sup>1</sup>/<sub>2</sub> mi. wide Cr. S. E.

37.22 a Do. 3 " " " E.

40.00 Set of Sec. post, from which (a Beech 12 mi. dist.)  
a Beech 12 mi. dist. by N 41 W 32<sup>1</sup>/<sub>2</sub> mi. dist. of  
a Do. 8 " " " S 52 E 13 " "

49.17 a Beech 10 " "

57.06 a Stream 14<sup>1</sup>/<sub>2</sub> mi. wide Cr. S. E.

69.75 a Do. 6 " " " W.

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which  
a Beech 8 mi. dist. by N 2 W 7<sup>1</sup>/<sub>2</sub> mi. dist. of  
an Elm 12 " " " N 6 E 22 " "Broken 2<sup>d</sup>. rate land, Beech, Ash, Poplar  
Sugar &c. undery<sup>g</sup>. Spruce &cEast On Land<sup>m</sup>. between Sec. 25 & 3610.88 a Small Stream - 1<sup>1</sup>/<sub>2</sub> mi. wide Coma -40.00 Set temp<sup>y</sup>. of Sec. post81.00 Intersected E. boundary 168<sup>1</sup>/<sub>2</sub> mi. S. of postLand broken 2<sup>d</sup>. rate, timber, Beech, Poplar, Sugar  
&c. undery<sup>g</sup>. Spruce

West Cor. between Sec. 25 &amp; 36

40.50 Set of Sec. post at average dist. from which  
a Beech 6 mi. dist. by N 2 E 34<sup>1</sup>/<sub>2</sub> mi. dist. of  
a Do. 6 " " " N 3 E 22 " "

81.00 to Sec. Corner.

North Between Sec. 25 &amp; 26

11.61 a Beech 7 mi. dist.

40.00 Set of Sec. post, from which

a Beech 12 mi. dist. by N 67 W 13<sup>1</sup>/<sub>2</sub> mi. dist. of

a Do. 15 " " " N 46 E 22 " "

76.32 a Beech 18 " "

80.00 Set post, Cor. to Sec. 23, 24, 25 & 26, from which  
a Sugar 30 mi. dist. by N 55 E 6<sup>1</sup>/<sub>2</sub> mi. dist. of

T.M.N. 1906 2<sup>nd</sup> Mer. Indiana 173  
ch. lks

a Beech 20 in. diam. beam S 31 W 46 lks, dist. of  
first 1/2 mile broken 2<sup>nd</sup> rate - last 1/2 mile rolling  
2<sup>nd</sup> rate inclining to wet Beech Poplar & Sugar

---

August 22<sup>nd</sup> 1819

East On Land<sup>m</sup> between Secs. 24 & 25

9.10 a stream -  
40.00 Set temp<sup>y</sup>. of Sec. post  
73.50 a stream 6 lks. wide corner S. E.  
81.07 Intersected E. boundary 300 lks. S. of post  
Rolling 2<sup>nd</sup> rate land, timber Beech, Ash,  
Poplar, &c. underg<sup>m</sup>. Spruce &c.

---

West Corrected between Secs. 24 & 25

40.53 Set of Sec. post at average dist. from which  
a Beech 12 in. diam. beam N 30 E 29 lks. dist. of  
an Ash 12 " " " S 30 W 40 " "  
81.07 to Sec. Corner

---

North Between Secs. 23 & 24

11.80 a stream 5 lks. wide corner N. E.  
40.00 Set of Sec. post, from which  
a Sugar 5 in. diam. beam N 87 W 23 lks. dist. of  
a Beech 13 " " " S 3 E 22 " "  
45.85 a Poplar 40 " "  
80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which  
a Sugar 4 in. diam. beam N 47 W 19 lks. dist. of  
a Buckeye 12 " " " S 65 E 8 " "  
Land rolling 1<sup>st</sup> rate, Beech, Ash, Poplar,  
Gym &c. underg<sup>m</sup>. Spruce &c.

---

East On Land<sup>m</sup> between Secs. 13 & 24

40.00 Set temp<sup>y</sup>. of Sec. post  
80.68 Intersected E. boundary 65 lks. N. of post  
Land level rich Beech, Ash, Poplar, Gym & Spruce

---



174 S. 1st R. 10 E. 2<sup>d</sup>. Mer. Indiana

ch. 1/2

West Corrected between Sec. 13 & 24

40.34 Set of Sec. post at average dist. from which  
a Poplar 40 in. diam. bear N 70 E 27 1/2 m. dist. of  
a Sugar 10 " " " S 44 W 19  
80.68 to Sec. Corner

North Between Sec. 13 & 14

40.00 Set of Sec. post, from which  
a Sugar 15 in. diam. bear N 22 W 10 1/2 m. dist. of  
an Ash 6 " " " S 48 E 39 " "

59.90 at C. Oak 44 " "

80.00 Set post cor. to Sec. 11, 12, 13 & 14, from which  
a Sugar 5 in. diam. bear N 35 E 12 1/2 m. dist. of  
at Beech 18 " " " S 35 W 12 " "  
Land level rich, timber, Beech, Ash, Poplar  
Sycamore, underg<sup>d</sup>. Spruce &c

East On Land 8<sup>m</sup>. between Sec. 12 & 13

40.00 Set temp<sup>y</sup>. of Sec. post,

80.38 intersected E. boundary 18 1/4 m. S. of post  
Land timber &c. same as on last (mile)

West Corrected between Sec. 12 & 13

40.19 Set of Sec. post at average dist. from which  
an Ash 20 in. diam. bear N 26 W 34 1/2 m. dist. of  
a do. 14 " " " S 19 E 25 " "

80.38 to Sec. Corner

North Between Sec. 11 & 12

5.75 a Sugar 7 in. diam.

40.00 Set of Sec. post, from which  
a Beech 36 in. diam. bear N 56 E 17 1/2 m. dist. of  
a do. 10 " " " S 61 W 39 " "

48.05 a Sugar 11 " "

80.00 Set post cor. to Sec. 1, 2, 11 & 12, from which  
a Beech 24 in. diam. bear N 37 W 43 1/2 m. dist. of

175

St. N. N. W. E. 2<sup>d</sup>. Mer. Indiana  
ch. P. lky

at Beech 14 in. dia. bray S 11 W 33 lky. dist. of  
S and level 1<sup>st</sup> rate, though scarce of water  
Beech, Ash, Poplar, Sugar &c. and g<sup>r</sup>. Spruce

East On. N. and S. between Sec. 1 & 2

40.00 Set temp. g<sup>r</sup>. Sec. post

80.75 Intersected E. boundary 167 lky. S. of post  
Level 1<sup>st</sup> rate — East 1/2 2<sup>d</sup> rate inclining to wet  
Ash, Poplar, Lymn &c. (Much Spruce)

West Corrected between Sec. 1 & 2

40.37 Set g<sup>r</sup>. Sec. post at average dist. from which  
a Hickory 6 in. dia. bray S 3 E 24 lky. dist. of  
an Ash 8 " " " N 3 W 33 " "

80.75 to Sec. Corner

North Between Sec. 1 & 2

28.50 an Elm 12 in. dia.

40.00 Set g<sup>r</sup>. Sec. post, from which  
an Elm 12 in. dia. bray S 43 E 32 lky. dist. of  
a Lymn 11 " " " N 47 W 12 " "

59.80 a Sugar 7 " "

66.70 Intersected the N. boundary 192 lky. N. of post  
Set post cor. to Sec. 1 & 2, from which  
an Elm 8 in. dia. bray S 41 E 33 lky. dist. of  
an Ash 6 " " " N 42 W 33 " "  
S and level inclining to wet 2<sup>d</sup> rate Beech  
Ash, Poplar, Sugar &c. and g<sup>r</sup>. Spruce & raw paw

August 23<sup>d</sup>. 1819

North Between Sec. 34 & 35

15.48 an Ash 19 in. dia.

40.00 Set g<sup>r</sup>. Sec. post, from which  
at Beech 30 in. dia. bray N 41 E 8 lky. dist. of  
an Ironwood 8 " " " S 18 W 44 " "

50.68 a Beech 25 " "

## M. N. R. W. O. D. Mer. Indiana

ch. 2. 1/2  
80.00 Let post Cor. to Sec. 26, 27, 34 & 35, from which  
a Beech 15 in. diam. bear S 78° W 17 1/2 m. dist. of  
a do. 24 " " " N 36° E 19 " "  
Land level of rich, Beech, Ash, Poplar,  
Sugar &c. underg. Spruce

East On Land m. between Sec. 26 & 35

40.00 Let temp. q. Sec. post  
71.32 a stream 10 m. wide Comes S. E.  
79.00 Intersected the S. of Spring 11 1/2 m. S. of post  
First 1/2 mile level 1 1/2 rats - last 1/2 broken  
2 1/2 rats, Beech, Ash, Poplar, Sugar, Spruce

West Corrected between Sec. 26 & 35

39.50 Let q. Sec. post at average dist. from which  
a Beech 15 in. diam. bear South 23 m. dist. of  
a do. 24 " " " North 5 " "  
79.00 to Sec. Corner

North Between Sec. 26 & 27

14.65 a Sugar 36 in. diam.  
27.10 a Spring Comes —  
40.00 Let q. Sec. post, from which  
a Beech 6 in. diam. bear N 18° E 24 m. dist. of  
an Iron? 5 " " " S 10° W 14 " "  
50.15 a Beech 36 " "  
64.40 a Spring Comes —  
70.60 a stream 6 m. wide Comes S. W  
80.00 Let post Cor. to Sec. 22, 23, 26 & 27, from which  
an Ash 30 in. diam. bear N 17° E 30 m. dist. of  
a Beech 24 " " " S 21° W 30 " "  
Land rolling 1 1/2 rats, Beech, Ash, Poplar  
Sugar, &c. underg. Spruce, Nettle, 2 ft. high

East. On Land m. between Sec. 23 & 26

40.00 Let temp. q. Sec. post



M. N. R. 10 E. 2<sup>nd</sup>. Mer. Ind. 117

ch. 2<sup>th</sup>  
78.53 Intersected the N of S. line 37<sup>th</sup>. S. of post  
Land timber &c. Same as on the last mile

---

West Connected between Sec. 23 & 26  
39.26 Set of Sec. post at average dist. from which  
a Beech 24 in. diam. bray S 22<sup>nd</sup> W 24<sup>th</sup> dist. of  
a do. 6 " " " N 2 E 25 " "  
78.53 to Sec. Corner.

---

North Between Sec. 22 & 23  
37.44 a Beech 7 in. diam.  
40.00 Set of Sec. post, from which  
a Buckeye 6 in. diam. bray N 25 E 8<sup>th</sup> dist. of  
a Sugar 4 " " " S 25 W 16 " "  
80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
a Sugar 20 in. diam. bray S 41<sup>st</sup> W 22<sup>nd</sup> dist. of  
an Ash 12 " " " N 33 E 27 " "  
Land rolling 1<sup>st</sup> rate, Beech, Ash, Poplar,  
Sugar &c. Much Spruce

---

East On Ran. 9<sup>th</sup>. between Sec. 14 & 23  
8.00 a Stream 6<sup>th</sup> wide Course N.  
40.00 Set temp. of Sec. post  
78.50 Intersected the N of S. line 50<sup>th</sup>. N. of post  
Land level & rich, Beech, Ash, Poplar Walnut  
&c. underg<sup>th</sup>. Spruce &c.

---

West Connected between Sec. 14 & 23  
39.25 Set of Sec. post at average dist. from which  
a Beech 12 in. diam. bray S 49<sup>th</sup> W 20<sup>th</sup> dist. of  
a do. 10 " " " S 49 E 10 " "  
78.50 to Sec. Corner

---

North Between Sec. 14 & 15  
2.35 a Sugar 30 in. diam.  
8.77 a Stream 7<sup>th</sup> wide Course (with

S. N. R. N. E. 2<sup>d</sup> Mer. Indianach. 6<sup>th</sup>

40.00 Set of Sec. post, from which  
a Beech 10 mi. dist. from, bearing N 67° W 42<sup>th</sup> dist. of  
a Sugar 9 " " " N 69° E 38 " "

40.25 a Stream 6<sup>th</sup> mile, wide Course S. W.

63.28 an Ash 20 mi. dist.

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which  
a Hickory 14 mi. dist. from, bearing N 77° W 23<sup>th</sup> dist. of  
a Beech 12 " " " N 51° E 11 " "  
Land level inclining to west 2<sup>nd</sup> rate, Beech  
Ash, Poplar, Sugar & Spruce

East On Land between Sec. 11 & 14

40.00 Set temp. of Sec. post

78.54 Intersected the N of D. line 130<sup>th</sup> dist. S. of post  
Land timber &c. Same as on last mile

West Corrected between Sec. 11 & 14

39.27 Set of Sec. post, at average dist. from which  
a Sugar 8 mi. dist. from, bearing N 75° E 23<sup>th</sup> dist. of  
a do. 8 " " " N 69° W 32 " "

78.54 to Sec. Cor. Aug. 24<sup>th</sup> 1819

North Between Sec. 10 & 11

12.15 a Beech 22 mi. dist.

40.00 Set of Sec. post, from which  
a Beech 7 mi. dist. from, bearing N 46° W 6<sup>th</sup> dist. of  
a do. 15 " " " N 46° E 28 " "

60.80 a Beech 17 " "

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
a Sugar 6 mi. dist. from, bearing N 7° E 39<sup>th</sup> dist. of  
an Ash 12 " " " N 17° W 15 " "  
Land level rich no water, Beech, Ash,  
Poplar, Sugar &c. and long Spruce & sparrow

East On Land between Sec. 2 & 11

40.00 Set temp. of Sec. post



St. N. R. 10 E. 2. Mer. Indiana 119

ch. 1/4  
78.50 Intersected the N & S line 66th. S. of post  
Land level 11<sup>th</sup> rate, Beech, Ash, Poplar,  
Sugar &c. under g<sup>th</sup> office.

West Corrected between Sec. 2 & 11

39.25 Set of Sec. post at average dist. from which  
a Beech 12 mi. dist. from N 30 W 13th. dist. of  
an Ironw. 4 " " " N 15 E 21 " "

78.50 to Sec. Corner

North Between Sec. 2 & 3

28.00 a Sugar 13 mi. dist.

38.00 a Stream 25 th. wide C. & W.

40.00 Set of Sec. post, from which  
a Lyeamow 15 mi. dist. from N 27 W 21th. dist. of  
a Walnut 12 " " " N 58 E 9 " "

40.38 a do. 10 " "

68.75 Intersected N. boundary 89 th. E. of post  
Set post cor. to Sec. 2 & 3, from which  
a Beech 20 mi. dist. from N 35 W 19th. dist. of  
a Sugar 6 " " " N 35 E 11 " "  
Land level 11<sup>th</sup> rate, timber, Beech, Ash,  
Poplar, Sugar, Walnut, Hickory, under g<sup>th</sup> office

August 25<sup>th</sup> 1819

North Between Sec. 33 & 34

5.25 a Sugar 11 mi. dist.

11.00 a Stream 6 th. wide C. & W.

40.00 Set of Sec. post, from which  
a Sugar 12 mi. dist. from N 25 W 16th. dist. of  
a do. 12 " " " N 14 E 36 " "

52.25 a Sugar 30 " "

58.75 a Stream 8 th. wide Corner S. & W.

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
a Beech 36 mi. dist. from N 6 W 25th. dist. of  
a do. 24 " " " N 16 W 36 " "

St. RVE, Ill. Indiana

ch. lks

Land rolling, 1<sup>st</sup> rate, Beech, Sugar, Ash  
Poplar &c. underg<sup>th</sup> Spruce.

East On Rand<sup>m</sup>. between Secs. 27 & 34

40.00 Set temp<sup>y</sup>. of Sec. post

80.25 Intersected the N & S. line 73 lks. S. of post  
Land level 1<sup>st</sup> rate, Beech, Ash, Poplar,  
underg<sup>th</sup> Spruce

West Corrected between Secs. 27 & 34

40.12 Set of Sec. post at average dist. from which  
a Beech 18 in. diam. bear N 55 E 20 lks. dist. of  
a Walnut 5 " " " N 65 W 18 " "  
80.25 to Sec. Corner

North Between Secs. 27 & 28

4.50 a Spruce 20 in. diam.

26.25 a Stream 10 lks. wide Cr. of.

40.00 Set of Sec. post, from which  
a Beech 20 in. diam. bear North 41 lks. dist. of  
an Ash 20 " " " South 32 " "

55.11 a Buckeye 12 " "

80.00 Set post Cor. to Secs. 21, 22, 27 & 28 from which  
a Beech 30 in. diam. bear N 67 W 22 lks. dist. of  
a do. 2 " " " N 48 E 18 " "  
Land level 2<sup>nd</sup> rate Principally Beech,  
underg<sup>th</sup> Spruce

East On Rand<sup>m</sup>. between Secs. 22 & 27

32.04 a Stream 10 lks. wide Corns<sup>m</sup> W.

40.00 Set temp<sup>y</sup>. of Sec. post

80.50 Intersected the N & S. line 33 lks. S. of post  
Land level 1<sup>st</sup> rate, Beech, ash, Poplar,  
Sugar &c. underg<sup>th</sup> Spruce

West Corrected between Secs. 22 & 27

181

*T.M. N 10 E. 2<sup>d</sup>. Mer. Indiana*  
chalky

40.25 Set of Sec. post at average dist. from which  
a Beech 4 in. diam. bray S 71° 8' E 8' dist. of  
an Elm 8 " " " N 36° 18' " "  
80.50 to Sec. Corner

*North Between Sec. 21 & 22*

6.00 a Stream 10 lks. wide Course W.  
15.81 a Beech 13 in. diam.  
40.00 Set of Sec. post, from which  
a Beech 24 in. diam. bray S 91° 22' E 22' dist. of  
a Buckeye 8 " " " N 51° 29' " "  
45.00 a Stream 10 lks. wide Cr. W.  
51.75 a Beech 9 in. diam.  
80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which  
a Sugar 10 in. diam. bray S 131° 35' E 35' dist. of  
a Do. 5 " " " North 32 " "  
Land level & rich, timber as before

*East On Randm. between Sec. 15 & 22*

40.00 Set of temp. of Sec. post  
80.50 Intersected E. boundary 7 lks. S. of post  
Land level & very rich, timber Beech, Ash,  
Poplar, Sugar, Walnut, wending, Spice

*West Connected between Sec. 15 & 22*

40.25 Set of Sec. post, at average dist. from which  
a Sugar 5 in. diam. bray S 36° E 23' dist. of  
a Do. 8 " " " N 44° 21' " "  
80.50 to Sec. Corner.

*North Between Sec. 15 & 16*

13.67 a Stream 15 lks. wide Cr. W.  
37.43 a Beech 21 in. diam.  
40.00 Set of Sec. post, from which  
an Ash 36 in. diam. bray S 31° 8' E 8' dist. of  
a Do. 12 " " " N 31° E 26' " "

182

Mt. P. W. E. I. Mer. Indiana

ch. 2. 4. 4.

55.53 a Beech 24 in. dia.

80.00 At post Cor. to Sec. 9, 10, 15 & 16, from which  
 a Beech 20 in. dia. bearing N 46 E 4 1/2 lb. dist. 9  
 a Do. 16 " " " S 20 W 17 " "  
 First 1/2 mile broken 2<sup>nd</sup> rate - last 1/2 mile  
 level 1<sup>st</sup> rate Beech, Ash, Poplar, Sugar &c.

East On Road<sup>m</sup>. between Sec. 10 & 15

40.00 At turn off gr. Sec. post

80.25 Intersected the N of S line 34 lb. S. of post  
 Land level inclining to wet 2<sup>nd</sup> rate, Beech  
 Ash, Poplar, Sugar &c.

West Corrected between Sec. 10 &amp; 15

40.12 1/2 At gr. Sec. post at average dist. from which  
 an Ash 24 in. dia. bearing S 72 E 2 1/2 lb. dist. 9  
 a Beech 6 " " " S 78 W 27 " "

80.25 to Sec. Corner

North Between Sec. 9 &amp; 10

9.07 a Beech 9 in. dia.

40.00 At gr. Sec. post, from which  
 a Hickory 8 in. dia. bearing S 31 W 19 lb. dist. 9  
 a Maple 12 " " " S 28 E 14 " "

45.64 a Hickory 15 in. dia.

66.70 a Stream 15 lb. wide Cr. S. W.

72.75 a Do. 6 " " " S. W.

80.00 At post Cor. to Sec. 3, 4, 9 & 10, from which  
 a C. Oak 20 in. dia. bearing S 61 E 25 lb. dist. 9  
 a Beech 10 " " " S 59 W 9 " "  
 First 1/2 mile level wet 2<sup>nd</sup> rate - last 1/2 mile  
 last 1/2 mile rolling 2<sup>nd</sup> rate Beech, Ash  
 Poplar, Sugar, Hickory, white<sup>m</sup> Spruce

East On Road<sup>m</sup>. between Sec. 3 & 10

5.08 a Stream 6 lb. wide Cr. S. W.



183

St. N. R. 10 E. 2<sup>nd</sup> Mer. Indiana

cherry

40.00 Set temp. gr. Sec. post

80.75 Intersected the N. of S. line 98 km. N. of post  
Land level wet 2<sup>nd</sup> rate, Beech, Ash, Poplar  
Sugar, &c. winding<sup>th</sup>. Spruce & Sparrow

West Corrected between Sec. 3 & 10

40.37 Set gr. Sec. post at average dist. from which  
a Hickory 15 mi. dist. from 189<sup>th</sup> km. dist. of  
an Ash 15 " " " N. 63 E 36 " "

80.75 to Sec. Corner. Aug. 26<sup>th</sup> 1819

North Between Sec. 3 & 4

3.50 a Sugar 13 mi. dist. to

40.00 Set gr. Sec. post, from which  
a Beech 24 mi. dist. from 167<sup>th</sup> km. dist. of  
a Sugar 20 " " " N. 62 E 23 " "

44.25 a Stream 20 km. wide Course W.

50.96 a Walnut 9 mi. dist.

68.62 Intersected N. boundary 52 km. N. of post  
Set post Cor. to Sec. 3 & 4, from which  
a Beech 36 mi. dist. from 132<sup>th</sup> km. dist. of  
a Sugar 5 " " " N. 15 E 11 " "  
Land rolling 2<sup>nd</sup> rate, Beech, Ash, Poplar  
Sugar, some Walnut, winding<sup>th</sup>. Spruce & Sparrow

North Between Sec. 32 & 33

30.76 a Beech 6 mi. dist. from

40.00 Set gr. Sec. post, from which  
a Beech 10 mi. dist. from 116<sup>th</sup> km. dist. of  
an Elm 6 " " " N. 17 E 9 " "

59.36 a Sugar 9 " "

74.50 a Stream 12 km. wide Course W.

80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which  
a Beech 6 mi. dist. from 160<sup>th</sup> km. dist. of  
a Do 6 " " " N. 10 E 14 " "  
Rolling 1<sup>st</sup> rate, Beech, Ash, Poplar & Sugar.



184 T.M.N. R.W.E. 2<sup>nd</sup> Mer. Indiana

ch. lky

East On Land 8<sup>th</sup> between Sec. 28 & 33

25.34 a stream 8 lky, wide Course N.W.

40.00 at stump of gr. Dec. post

66.90 a spring Course —

79.50 intersected the N & S. line 105 lky. S. of post  
Land rolling 2<sup>nd</sup> rate, Beech, Ash, Poplar,  
Sugar &c. underg<sup>g</sup>. Spruce

---

West Connected between Sec. 28 & 33

39.75 at gr. Dec. post at average dist. from which  
a Sugar 12 mi. dist. bearing S 79° 15' W. dist. of  
a Do. 4 " " " N 64° E 16 " "

79.50 to Sec. Corner

---

North Between Sec. 28 & 29

21.50 a stream 20 lky, wide Course W.

27.55 a Do. 12 " " " S. W.

29.50 an Ash 24 mi. dist.

40.00 at gr. Dec. post, from which  
a Beech 13 mi. dist. bearing N 32° 14' W. dist. of  
an Elm 16 " " " S 54° E 48 " "

43.25 at Beech 8 " "

53.00 a stream 13 lky, wide Course W.

70.40 a stream 12 " " " W.

80.00 at post Cor. to Sec. 20, 21, 28 & 29, from which  
a Sugar 36 mi. dist. bearing N 84° E 31 lky, dist. of  
a Beech 20 " " " N 71° 17' W  
First 1/2 mile Broken 2<sup>nd</sup> rate — last 1/2 mile  
rolling 2<sup>nd</sup> rate Beech, Sugar, Ash, Poplar &c.  
underg<sup>g</sup>. Much Spruce

---

East On Land 8<sup>th</sup> between Sec. 21 & 28

12.40 a stream 11 lky, wide Course S.

40.00 at stump of gr. Dec. post

79.87 intersected the N & S. line 97 lky. S. of post  
Land level rich, timber as above

S. N. R. N. E. 2<sup>d</sup>. Mer, Indiana 185

ch. 2<sup>d</sup> 1<sup>st</sup>

West Corrected between Secs. 21 & 28

39.93 Set of Sec. post at average dist. from which  
at Sec. 20 in. dist. from N 72 E 18 lbs. dist. of  
a do. 10 " " " N 87 W 18 " "

79.87 to Sec. Corner. Aug. 27<sup>th</sup> 1859

North Between Secs. 20 & 21

17.40 a Swamp Ash 60 in. diam.

40.00 Set of Sec. post from which  
an Ash 24 in. diam. from N 18 E 31 lbs. dist. of  
a do. 14 " " " N 10 W 22 " "

41.12 an Ash 21 " "

66.90 a Stream 13 lbs. wide Course N.

71.50 a do. 13 " " " S. W.

80.00 Set post Cor. to Secs. 16, 17, 20 & 21, from which  
at Sec. 16 in. diam. from N 16 W 16 lbs. dist. of  
a Sugar 6 " " " N 63 E 5  
Land rolling 2<sup>d</sup> rate, Beech, Ash, Poplar,  
Sugar, nutting<sup>th</sup>, Spruce &c.

East Cor. Rand. between Secs. 16 & 21

40.00 Set of Sec. post, temporarily

79.25 Inspected the N & S line 152 lbs. S. of post  
Land level 2<sup>d</sup> rate, timber Beech, Ash, Poplar,  
Sugar &c. nutting<sup>th</sup>, Spruce

West Corrected between Secs. 16 & 21

39.62 Set of Sec. post at average dist. from which  
an Ash 5 in. diam. from N 80 E 19 lbs. dist. of  
an Elm 7 " " " N 76 W 24 " "

79.25 to Sec. Corner

North Between Secs. 16 & 17

26.62 a Beech 23 in. diam.

38.42 a Stream 18 lbs. wide Course N.

40.00 Set of Sec. post, from which

186

M. N. R. W. E. I. Mer. Indiana

ch. 1/2

a Sugar 10 in. diam. bay N 29 E 28 lbs. dist. of  
at Beech 12 " " " N 33 W 17 " "

66.19 a Stream 8 ft. wide Corner S. W.

68.50 at Beech 24 in. diam.

80.00 Set post Cor. to Sec. 8, 9, 16 of 17, from which  
an Ash 6 in. diam. bay N 3 E 9 lbs. dist. ofa do. 4 " " " N 27 E 14 " "  
Land rolling 1 1/2 rate, Beech, Ash, Poplar,  
Sugar, undug<sup>m</sup>. Spruce & spruceEast On Rand<sup>m</sup> between Sec. 9 & 16

40.00 Set temp. of Sec. post

79.10 intersected the N & S line 9 1/2 ft. S. of post  
Land level inclining to wet 2 1/2 rate, timber  
Beech, Ash, Poplar &c.

West Corrected between Sec. 9 &amp; 16

39.55 Set of Sec. post at average dist. from which  
at Beech 24 in. diam. bay N 13 W 25 lbs. dist. of  
a do. 18 " " " N 3 E 23 " "

79.10 to Sec. Corner.

North Between Sec. 8 &amp; 9

8.03 a Hickory 8 in. diam.

31.00 a Stream 7 ft. wide Corner S. W.

40.00 Set of Sec. post, from which

a Sugar 12 in. diam. bay N 19 E 25 lbs. dist. of  
a do. 20 " " " N 58 W 9 " "80.00 Set post Cor. to Sec. 4, 8, & 9, from which  
a Beech 12 in. diam. bay N 6 E 15 lbs. dist. of  
an Ash 10 " " " N 3 W 14 " "Land level 1 1/2 ft. inclining to wet last  
half, 1 1/2 rate Beech, Ash, Poplar, Sugar &c.  
undug<sup>m</sup>. Spruce & spruce

East On Random between Sec. 4 &amp; 9

M. N. R. W. E. I. Mer. Indiana 187

ch. 1/2

9.25 a stream 12 lks. wide Course N.W.  
 40.00 Set temp. gr. Sec. post  
 79.00 Intersected the N. & S. line 47 lks. S. of post  
 Land rolling 1<sup>st</sup> rate, timber Beech, Ash,  
 Poplar, Sugar & Walnut

West Connected between Sec. 4 & 9  
 39.50 Set gr. Sec. post at average dist. from which  
 a Poplar 20 in. dia. - bearing S 15 W 12 lks. dist. of  
 an Elm 10 " " " N 26 W 12 " "  
 79.00 to Sec. Corner.

North Between Sec. 4 & 5

15.92 an Ash 11 in. dia.  
 27.13 a stream 37 lks. wide Course W.  
 40.00 Set gr. Sec. post, from which  
 a Hickory 4 in. dia. - bearing N 37 W 11 lks. dist. of  
 a Beech 6 " " " N 42 E 28 " "  
 48.50 a Spring  
 70.00 Intersected N. boundary 129 lks. E. of post  
 Set post Cor. to Sec. 4 & 5, from which  
 a Turkey 12 in. dia. - bearing N 15 E 15 lks. dist. of  
 an Ash 12 " " " N 88 W 20 "  
 Land broken but rich, timber Beech, Ash,  
 Poplar, Sugar, underg. Spruce & hemlock  
 August 28<sup>th</sup> 1879

North Between Sec. 31 & 32

8.24 a Beech 12 in. dia.  
 22.00 a stream 20 lks. wide Course S.W.  
 40.00 Set gr. Sec. post, from which  
 a Beech 15 in. dia. - bearing N 23 W 26 lks. dist. of  
 a Do. 10 " " " South 39 " "  
 48.00 an Ash 22 " "  
 80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which  
 a Hickory 3 in. dia. - bearing N 5 E 13 lks. dist. of





# 189

## M. N. W. E. I. Mer. Indiana

ch. lky

a Beech 6 mi. dist. bray S 8 E 29 lks. dist. of  
a Hickory 7 " " " N 5 E 28 " "  
77.20 a stream 7 lks. wide Comae N.W.  
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
a Beech 12 mi. dist. bray N 2 W 5 lks. dist. of  
a do. 12 " " " N 59 E 30 " "  
Land level rich, Beech, Ash, Poplar, Spruce.

East On Rand. between Sec. 20 & 29

40.00 Set temp. gr. Sec. post  
80.86 Intersected the N. of S. line 108 lks. N. of post  
Land level rich, Beech, Ash, Poplar,  
Sugar &c. underg. Spruce

West Corried between Sec. 20 & 29

40.43 Set gr. Sec. post at average dist. from which  
a Beech 12 mi. dist. bray S 50 E 13 lks. dist. of  
a do. 6 " " " N 65 W 34 " "  
80.86 to Sec. Corner.

West Between Sec. 19 & 30

3.10 a stream 5 lks. wide Comae N.  
26.96 a do. 4 " " " S.  
28.98 a Duckey 19 mi. dist.  
39.87 a stream 10 lks. wide W. S. N.  
40.00 Set gr. Sec. post, from which  
a Lyncamore 24 mi. dist. bray S 7 W 22 lks. dist. of  
a honwood 6 " " " N 29 W 14 " "  
41.75 a stream 10 lks. wide Comae S.W.  
45.90 an Ash 27 mi. dist.  
76.00 Intersected N. boundary 45 lks. N. of post  
Set post Cor. to Sec. 19 & 30, from which  
a Beech 36 mi. dist. bray S 49 W 19 lks. dist. of  
a Sugar 12 " " " N 26 E 4 " "  
Land level rich, Beech, Ash, Poplar,  
Sugar &c. underg. Spruce &c.

190 *St. V. E. 2<sup>nd</sup> Mer. Indiana*

*ch. 2<sup>nd</sup>*

North / Between Sec. 19 & 20

9.75 a Hickory 16 in. diam.

40.00 Set of Sec. post, from which  
a Beech 20 in. diam. bran S 77 W 10 lb. dist. &  
a Sugar 10 " " " S 77 E 24 " "

45.10 a Stream 10 lb. wide Course N.

49.75 a Sugar 18 in. diam.

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
an Ash 6 in. diam. bran S 55 W 25 lb. dist. &  
an Elm 5 " " " East 11 " "  
Land level 1<sup>st</sup> rate, Beech, Ash, Poplar &  
unclung<sup>th</sup> Spruce

East On Road<sup>gm</sup> between Sec. 17 & 20

40.00 Set turn pt. of Sec. post

80.00 Intersect with St. of Sec. line 142 lb. N. of post  
Land level inclining to west 2<sup>nd</sup> rate, Beech,  
ash Poplar, Swamp Oak & Spruce

West Connected between Sec. 17 & 20

40.00 Set of Sec. post at average dist. from which  
a Beech 16 in. diam. bran N 25 W 26 lb. dist. &  
a Sugar 36 " " " S 15 W 37 " "

80.00 to Sec. Corner Aug. 29<sup>th</sup> 1819

West Between Sec. 18 & 19

11.00 a Poplar 48 in. diam.

40.00 Set of Sec. post, from which  
a Beech 4 in. diam. bran S 64 E 16 lb. dist. &  
a Elm 5 " " " S 88 W 21 " "

42.10 a Sugar 17 " "

76.84 Intersected West boundary 164 lb. S. of post  
Set post Cor. to Sec. 18 & 19, from which  
a Beech 8 in. diam. bran North 20 lb. dist. &  
a Elm 30. " " " S 7 N 34 " "  
Land level part inclining to west 2<sup>nd</sup> rate, Beech



T.M. N.E. 2<sup>d</sup> Mer. Indiana 191  
 ch. lks  
 Ash, Poplar, mulberry, Spruce

North Between Sec. 17 & 18

35.14 an. Ash 28 in. dia.

40.00 Set of Sec. post, from which  
 a Cherry 16 in. dia. branch 19 N 21 W lks. dist. of  
 a Swamp Oak 12 " " " 26 N 19 " "

54.64 a stream 14 lks. wide Course N.W.

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
 a Beech 12 in. dia. branch 159 E 12 W lks. dist. of  
 a Buckeye 10 " " " 53 N 14 " "  
 Land rolling 1<sup>st</sup> rate, Beech, Ash, Poplar,  
 Sugar Sc. Mulberry, Spruce

East On Rand. between Sec. 8 & 17

1.25 a stream 15 lks. wide Course N.W.

15.70 a do. 15 " " " —

40.00 Set temporary of Sec. post

80.78 Intersected the N. & S. line 37 lks. S. of post  
 Land level inclining to west 2<sup>d</sup> rate timber  
 Beech, Ash & Poplar

West Connected between Sec. 8 & 17

40.39 Set of Sec. post at average dist. from which  
 a Hickory 4 in. dia. branch 160 E 9 W lks. dist. of  
 a Sugar 5 " " " 63 N 13 " "

80.78 to Sec. Corner

West Between Sec. 7 & 18

7.15 a stream 20 lks. wide Course N.W.

18.00 a Cherry 12 in. dia.

40.00 Set of Sec. post, from which  
 a Buckeye 10 in. dia. branch 23 lks. dist. of  
 a Beech 14 " " " 6 N 9 " "

44.83 a Cherry 18 " "

76.45 Intersected N. boundary 214 lks. N. of post



192 T.M. N. R10 E. 2. Mer. Indiana

ch. 1/4

Set post Cor. to Sec. 7 of 18, from which  
a Beech 6 mi. dist. bearing N 80 W 9 lks. dist. of  
a Do. 4 " " " S 74 E 14 "  
Land level 1<sup>st</sup> rate, Beech, Ash, Poplar &  
Walnut, underg<sup>rd</sup> Spruce

North Between Sec. 7 of 8

12.98 a Beech 24 mi. dist.

40.00 Set gr. Sec. post, from which  
an Ash 15 mi. dist. bearing N 67 W 12 lks. dist. of  
a Beech 8 " " " " N 67 E 20 " "

42.75 a Do. 36 " "

80.00 Set post Cor. to Sec. 5, 6, 7 of 8, from which  
a Buckeye 10 mi. dist. bearing S 86 W 9 lks. dist. of  
a Beech 12 " " " " S 40 E 18 " "  
First 1/2 mile rolling 1<sup>st</sup> rate - last 1/2 rolling  
2<sup>nd</sup> rate, Beech, Ash, Poplar, underg<sup>rd</sup> Spruce

West Between Sec. 6 of 7

16.10 a Creek 50 lks. wide Comae S. W.

34.08 a Hickory 10 mi. dist.

40.00 Set gr. Sec. post, from which  
a Beech 24 mi. dist. bearing N 30 W 12 lks. dist. of  
a Do. 6 " " " " S 57 E 18 " "

76.00 Intersected W. boundary 225 lks. N. of post  
Set post cor. to Sec. 6 of 7, from which  
a cherry 12 mi. dist. bearing N 12 W 3 lks. dist. of  
a Beech 10 " " " " S 12 E 40 " "  
First 1/2 mile broken with creek hills 2<sup>nd</sup> rate  
last 1/2 level 1<sup>st</sup> rate Beech, Ash, Poplar, &  
Sugar, underg<sup>rd</sup> Spruce

East On Rand<sup>m</sup> between Sec. 5 of 8

40.00 Set temp. gr. Sec. post.

80.42 Intersected N. of S. line at the post

First 1/2 mile broken 2<sup>nd</sup> rate - last 1/2 mile

ch<sup>th</sup> M<sup>th</sup> N<sup>th</sup> E. 2<sup>d</sup> Mer. Indiana 19<sup>3</sup>  
 rolling 1<sup>st</sup> rate Beech, Ash & Poplar, Spruce

West Corner between Sect. 5 & 8  
 40.21 Set of Sec. post at average dist. from which  
 a Buckeye 6 in. diam. bray N 65 E 16 lks. dist. of  
 a Beech 5 " " " S 60 W 4 " "  
 80.42 to Sec. Corner.

North Between Sect. 5 & 6  
 9.50 a Stream 25 lks. wide Corner N.  
 23.40 a do 10 " " " S. N.  
 40.00 Set of Sec. post, from which  
 an Ash 30 in. diam. bray N 28 W 8 lks. dist. of  
 a Beech 6 " " " S 28 E 25 " "  
 45.86 a do. 19 " "  
 71.30 Intersected N. boundary 63 lks. E. of post  
 Set post Co. to Sect. 5 & 6, from which  
 a Sugar 5 in. diam. bray East 8 lks. dist  
 a do. 12 " " " N 79 W 10 " "  
 Land rolling 2<sup>d</sup> rate, timber Beech, Ash,  
 Poplar, Sugar, Buckeye, and dry<sup>er</sup> Spruce  
 August 30<sup>th</sup> 1849, variation 6.20' E.  
 Surveyed By John Hendricks,  
 Dep<sup>y</sup> Surveyor

I Certify that the foregoing transcript of field notes  
 of Township N. 11 North, Range N. 10 East 2<sup>d</sup> Mer.  
 Indiana has been compared with the original notes  
 in this Office and found to be correct.

Surveyor General's Office  
 Cincinnati, Oct. 29. 1842

William Johnston  
 Sur. Genl.

Comp.